



United Poly Engineering Pvt. Ltd.

CIN No. U74899DL1980PTC010203

EU DECLARATION OF CONFORMITY

According to annex –IV section 1 to section 4 of the MDR 2017/745 of medical devices we:



United Poly Engineering Pvt. Ltd.
D-13/3, Okhla Industrial Area, Phase – II,
New Delhi-110020, India
SRN: IN-MF-000026760

Declare under our sole responsibility that the products :

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
HOSPITAL FURNITURE	HOSPITAL BEDS	FOWLER BED	UPL-12005	FOWLER BED Salient Features: Size : 2115×980×500mm The bed platform is made of cold rolled steel & epoxy powder coated. Bed frame welded by profile steel. Collapsible side rails are easy to use. 125mm dia. Castors with central locking system. Bed corners are equipped with bumper. Removable Bed head/foot boards are made of high quality ABS.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106176	89040421UPL10BEDSC	1	Non Sterile
			UPL-12015	FOWLER BED Salient Features: Size :2115×980×500mm The bed platform is made of cold rolled steel & epoxy powder coated. Bed frame welded by profile steel. Collapsible side rails are easy to use.125mm dia. Castors. Bed corners are equipped with bumper.					

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-12025	FOWLER BED Salient Features: Size : 2115×980×500mm The bed platform is made of cold rolled steel & epoxy powder coated Bed frame welded by profile steel. Collapsible side rails are easy to use. Bed can be placed on tubler foot for stability and when ever required can be moved on castors 125mm dia, Bed corners are equipped with bumper.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106190	89040421UPL10BEDSC	1	Non Sterile
			UPL-12095	FOWLER BED Salient Features: Size : 2080×900×500mm. The bed platform is made of cold rolled steel & epoxy powder coated. Stainless steel head and foot boards, Noiseless 4" castors with brake. Back rest and knee rest position adjustable by screw mechanism.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106206	89040421UPL10BEDSC	1	Non Sterile
		SEMI-FOWLER BED	UPL-11000	SEMI-FOWLER BED Salient Features: Size: 2060 x 900 x 600. The bed platform is made of cold rolled steel & epoxy powder coated. Bed head/foot boards are made of high quality ABS. Bed frame welded by profile steel. The head/foot boards are equipped with bumper. Movable on 100mm Castors.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106213	89040421UPL10BEDSC	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-11010	SEMI-FOWLER BED Salient Features: Size :2140×940×500mm The bed platform is made of cold rolled steel & epoxy powder coated. Bed head/foot boards are made of high quality ABS. Bed frame welded by profile steel. The head/foot boards are equipped with bumper. H type legs fitted with Rubber stumps.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106220	89040421UPL10BEDSC	1	Non Sterile
			UPL-11020	SEMI-FOWLER BED Salient Features: Size :2140×980×500mm The bed platform is made of cold rolled steel & epoxy powder coated. Bed head/foot boards are made of high quality ABS. Bed frame welded by profile steel. The head/foot boards are equipped with bumper. H type legs fitted with Rubber stumps. Collapsible side railings.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106237	89040421UPL10BEDSC	1	Non Sterile
			UPL-11030	SEMI-FOWLER BED Salient Features: Size : 2030×900×500mm The bed platform is made of cold rolled steel & epoxy powder coated. Bed head/foot boards are made of Steel fitted with rubber stumps. Bed frame welded by profile steel. Crank mechanism for Backrest position.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106244	89040421UPL10BEDSC	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-11040	SEMI-FOWLER BED Salient Features: Size 206 Lx 90 Wx60 H cms. The bed platform is made of cold rolled steel & epoxy powder coated. S. S. head and foot bows with laminated panels. H type Legs mounted on Rubber stumps. Back rest section manouvered by screw mechanism from the foot end. Provision for saline rod at four locations.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106251	89040421UPL10BEDSC	1	Non Sterile
			UPL-11050	SEMI-FOWLER BED Salient Features: Size: 206 L x 90 W x 60 H cms. Frame work of rectangular CRC tubes. Two sections with wire mesh top. Tabular head & foot bows of unequal height. Back rest section manouvered by crank mechanism. Provision for saline rod at four locations. Pre-treated and Epoxy Powder Coated finish.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8.90404E+12	89040421UPL10BEDSC	1	Non Sterile
		WARD BED GENERAL	UPL-10010	WARD BED GENERAL Salient Features: Size 206 Lx 90 W x 60 H cms. The bed platform is made of cold rolled steel & epoxy powder coated. Tubular head and foot bows with vertical tube supports. 'H' type legs mounted on PVC stumps. Perforated CRCAsheet Top. Provision for saline rod at four locations.	A Hospital Bed is specially designated/used for hospitalised patients or other in need of some form of health care. These beds have special features both for the comfort and well being of the patient.	8904042106275	89040421UPL10BEDSC	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
		CHOLERA BED	UPL-10045	CHOLERA BED WITH COLLECTOR PALSTIC BUCKET Salient Features: Size 200 Lx 70 W x 55H cms. Foldable Cholera Bed (Medical Bed) made of Mild steel tubular sections and strips duly epoxy powder coated, resistant to corrosion which can be opened/folded easily for use. Platform: The platform mat is made polyester cloth with PVC coated for impermeable and ultrasonically welded (no threads or sew lines) to make it more rigid at the edges, Mat features 8"(20cm) diameter cut out hole with impermeable welded seam.	Basic hospital equipment for health structures: Basic Cholera bed for emergency use. Should be cleaned & disinfected before and after use	8904042107203	89040421UPL45BED5Z	1	Non Sterile
	STRETCHER	STRETCHER	UPL-32000	STAINLESS STEEL STRETCHER Size:1950x650x680/900mm The structure is made of Stainless steel. Height adjustable by Screw Mechanism . The Stretcher top is made in two parts & is removable. The stretcher has the self-locking type guard rails. The Stretcher top is covered with high density foam with leather surface. The back is adjustable according to the patient. Provided with the stainless steel IV pole.	Safety & Care: Should be cleaned & disinfected before and after use.	8904042106282	89040421UPL32STRYE	1	Non Sterile
			UPL-32020	STRETCHER TROLLEY Size: 2100Lx560Wx810H mm Frame work made of Tubular Steel epoxy powder coated. Swing Away type Safety side railing. Adjustable I.V. Rod. With cylinder holder. Backrest Adjustable. Trolley mounted on 15 cms dia castors- Two with Brakes. Also available in Stainless steel.	This is designed/use primarily to facilitate easy transport of a recumbed patient within a healthcare facility and to the Medical vehicle/ ambulance. The device may also be used as a treatment table.	8904042106299	89040421UPL32STRYE	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-32030	STRETCHER ON TROLLEY Size: 2100Lx560Wx810H mm Frame work made of Tubular Steel & epoxy powder coated. Removable stretcher top. Safety Side Railing. Adjustable I.V. Rod,Utility Tray, Cylinder cage. Trolley mounted on 15 cms Dia castors-two with brakes. Also available in Stainless Steel.	This is designed/use primarily to facilitate easy transport of a recumbed patient within a healthcare facility and to the Medical vehicle/ ambulance. The device may also be used as a treatment table.	8904042106305	89040421UPL32STRYE	1	Non Sterile
			UPL-32040	STRETCHER TROLLEY Size: 2130Lx560Wx810H mm Frame work made of CRC Steel & epoxy powder coated. Trolley mounted on 15 cms castors two with brakes. Removable stretcher top with S/S handle. Also available in Stainless Steel.	This is designed/use primarily to facilitate easy transport of a recumbed patient within a healthcare facility and to the Medical vehicle/ ambulance. The device may also be used as a treatment table.	8904042106312	89040421UPL32STRYE	1	Non Sterile
	TROLLEY/CART	INSTRUMENT TROLLEY /CART	UPL-45265	INSTRUMENT TROLLEY • Structure round tube stainless Steel. • Stainless Steel 2 Shelves. Removable rails with plastic fitting. • 4 castors wheel dia. 75 mm with 2 with brakes 460x460x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106329	89040421UPL45TROZ7	1	Non Sterile
			UPL-45350	INSTRUMENT TROLLEY 460x460x910 mm • Structure round tube stainless Steel. • Stainless Steel 3 Shelves. • Removable rails with plastic fitting. • 4 castors wheel dia. 75 mm with 2 with brakes.	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106336	89040421UPL45TROZ7	1	Non Sterile
			UPL-45275	INSTRUMENT TROLLEY Dimension: 460x460x910 mm • Structure round tube stainless Steel. • Stainless Steel 2 Shelves. Removable rails with plastic fitting. • 4 castors wheel dia. 75 mm with 2 with brakes. • One drawer below the top shelf	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106343	89040421UPL45TROZ7	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-45360	INSTRUMENT TROLLEY Dimension: 460x460x910 mm • Structure round tube stainless Steel. • • Stainless Steel 3 Shelves. • Removable rails with plastic fitting. • 4 castors wheel dia. 75 mm with 2 with brakes. • One drawer below the top shelf.	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106350	89040421UPL45TROZ7	1	Non Sterile
			UPL-45280	INSTRUMENT TROLLEY SS Frame work mounted on castors. Push handle is provided for easy carrying. Two S.S Shelves with raised edges. 460x460x810 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106367	89040421UPL45TROZ7	1	Non Sterile
			UPL-45285	INSTRUMENT TROLLEY SS Frame work mounted on castors. Push handle is provided for easy carrying. Two S.S Shelves with raised edges. 600x460x810 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106374	89040421UPL45TROZ7	1	Non Sterile
			UPL-45290	INSTRUMENT TROLLEY SS Frame work mounted on castors. Push handle is provided for easy carrying. Two S.S Shelves with raised edges. 760x510x810 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106381	89040421UPL45TROZ7	1	Non Sterile
			UPL-45295	INSTRUMENT TROLLEY SS Frame work mounted on castors. Push handle is provided for easy carrying. Two S.S Shelves with raised edges. 900x600x810 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106398	89040421UPL45TROZ7	1	Non Sterile
			UPL-45410	INSTRUMENT TROLLEY Two shelves. Columns Stainless steel Stainless steel guard rail. Movable on castors. 460 x 460 x 910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106404	89040421UPL45TROZ7	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-45415	INSTRUMENT TROLLEY Two shelves. Columns Stainless steel Stainless steel guard rail. Movable on castors. 600x460x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106411	89040421UPL45TROZ7	1	Non Sterile
			UPL-45420	INSTRUMENT TROLLEY Two shelves. Columns Stainless steel Stainless steel guard rail. Movable on castors.760 x 510x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106428	89040421UPL45TROZ7	1	Non Sterile
			UPL-45425	INSTRUMENT TROLLEY Two shelves. Columns Stainless steel Stainless steel guard rail. Movable on castors. 900x600x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106435	89040421UPL45TROZ7	1	Non Sterile
			UPL-45426	INSTRUMENT TROLLEY Three shelves with impressed trays. Columns Stainless steel Stainless steel guard rail. Movable on castors. 460x460x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106442	89040421UPL45TROZ7	1	Non Sterile
			UPL-45427	INSTRUMENT TROLLEY Three shelves with impressed trays. Columns Stainless steel Stainless steel guard rail. Movable on castors. 600x460x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106459	89040421UPL45TROZ7	1	Non Sterile
			UPL-45428	INSTRUMENT TROLLEY Three shelves with impressed trays. Columns Stainless steel Stainless steel guard rail. Movable on castors. 760x510x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106466	89040421UPL45TROZ7	1	Non Sterile
			UPL-45429	INSTRUMENT TROLLEY Three shelves with impressed trays. Columns Stainless steel Stainless steel guard rail. Movable on castors. 900x600x910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/packageging and cases. Easy assembly	8904042106473	89040421UPL45TROZ7	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
		DRESSING TROLLEY	UPL-45402	DRESSING TROLLEY M.S.Tubular frame work. S.S. shelves with railing, bowl & bucket holder. Movable on castors. Epoxy Powder Coated. Fixed construction. Also available in S.S. Frame. 760 x 460 x 910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106480	89040421UPL45TROZ7	1	Non Sterile
			UPL-45407	DRESSING TROLLEY M.S.Tubular frame work. S.S. shelves with railing, bowl & bucket holder. Movable on castors. Epoxy Powder Coated. Fixed construction. Also available in S.S. Frame. 900 x 600 x 910 mm	Commonly used to transport medical and surgical instruments, medical devices and to accommodate sterile wraps/package and cases. Easy assembly	8904042106497	89040421UPL45TROZ7	1	Non Sterile
		MAYO'S INSTRUMENT TROLLEY	UPL-45480	MAYO'S INSTRUMENT TROLLEY Size : 540 x 420 x 810-1250 mm Rectangular Stainless Steel tubes frame. Mounted on Castors. Height adjustable by side Knob.	It is basically used to carry medicines and medical instruments like syringe, scissors, knives, cotton , spirit etc. which is used while performing an operation/procedure as immediate support in case of health emergencies (resuscitation, defibrillation). Easy assembly	8904042106503	89040421UPL45TROZ7	1	Non Sterile
			UPL-45500	MAYO INSTRUMENT TROLLEY Size :600x400x850~1000mm Tubler frame work V type or U type. Mounted on two Castors. S.S Tray. Height adjustable by side Knob.	It is basically used to carry medicines and medical instruments like syringe, scissors, knives, cotton , spirit etc. which is used while performing an operation/procedure. Easy assembly	8904042106510	89040421UPL45TROZ7	1	Non Sterile
	OVERBED TABLE	OVERBED TABLE	UPL-45490	OVERBED TABLE Size :600x400x850~1050mm H-type frame. Mounted on Castors. Laminated Top. Easy system for height adjustment.	It is basically used to serving food to patient and keeping case records during doctors visit. Easy assembly	8904042106923	89040421UPL45TROZ7	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
	TABLE	TABLE	UPL-45495	OVERBED TABLE Size :600×400×850~1050mm H-type frame. Mounted on Castors. Laminated Top. Easy system for height adjustment.	It is basically used to serving food to patient and keeping case records during doctors visit. Easy assembly	8904042106527	89040421UPL45TROZ7	1	Non Sterile
	EXAMINATION COUCH GYNAE	EXAMINATION COUCH GYNAE	UPL-52080	EXAMINATION COUCH GYNAE 830x600x810 mm	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table.The table is optimized for urodynamics examinations, but it can of course be used for examinations in the lying and gynaecological positions.	8904042106954	89040421UPL45TROZ7	1	Non Sterile
		EXAMINATION COUCH GYNAE	UPL-52092	EXAMINATION COUCH GYNAE 1900 x 600 x 680 mm	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table.The table is optimized for urodynamics examinations, but it can of course be used for examinations in the lying and gynaecological positions.	8904042106961	89040421UPL45TROZ7	1	Non Sterile
		EXAMINATION COUCH GYNAE	UPL-52094	EXAMINATION COUCH GYNAE 1900 x 600 x 680 mm	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table.The table is optimized for urodynamics examinations, but it can of course be used for examinations in the lying and gynaecological positions.	8904042106978	89040421UPL45TROZ7	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
		DELIVERY TABLE 3 SECTION	UPL-52045	DELIVERY TABLE 3 SECTION 1830 x 550x810 mm	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table. The table is optimized for urodynamics examinations, but it can of course be used for examinations in the lying and gynaecological positions.	8904042106930	89040421UPL45TROZ7	1	Non Sterile
		DELIVERY TABLE	UPL-52055	DELIVERY TABLE 1830 x 550x810 mm.	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table. The table is optimized for urodynamics examinations, but it can of course be used for examinations in the lying and gynaecological positions.	8904042106947	89040421UPL45TROZ7	1	Non Sterile
	EXAMINATION TABLE/COUCH	EXAMINATION TABLE/COUCH	UPL-52090	EXAMINATION COUCH (STAINLESS STEEL) Size : 1830 x 600 x 810 mm, Frame work of stainless steel tube. Adjustable back rest. 2 section cushioned tops. Legs fitted with PVC stumps. Also available in epoxy powder coated.	A non-mobile devise designed for routine/minor medical examination and/or treatment of the patient. This device is typically used in examination rooms or doctors' surgeries as a statically placed table.	8904042106534	89040421UPL52EXCWC	1	Non Sterile
	I.V. STAND / POLE	I.V. STAND / POLE	UPL-70105	I.V. STAND Stainless steel I.V Rod, Two hooks hanger. Height adjustable by Knob, Plastic base with castors. Also available with 4 hooks.	Pole with adjustable height, with hook on the pole top that provide a secure place to hand bags of medicine or fluid that ensures uninterrupted administration of medicine through a hollow plastic tube and into the veins of the patient.	8904042106541	89040421UPL70IVPXU	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-70115	I.V. STAND Stainless steel I.V Rod. Four hooks hanger, Height adjustable by Knob. Stainless steel base with castors. Also available with 2 hooks.	Pole with adjustable height, with hook on the pole top that provide a secure place to hand bags of medicine or fluid that ensures uninterrupted administration of medicine through a hollow plastic tube and into the veins of the patient.	8904042106558	89040421UPL70IVPXU	1	Non Sterile
			UPL-70120	I.V. STAND Stainless steel I.V Rod. Four pig tailed hooks hanger, Height adjustable by Knob. Epoxy steel base with castors. Also available with 2 hooks.	Pole with adjustable height, with hook on the pole top that provide a secure place to hand bags of medicine or fluid that ensures uninterrupted administration of medicine through a hollow plastic tube and into the veins of the patient.	8904042106565	89040421UPL70IVPXU	1	Non Sterile
			UPL-70130	I.V. STAND Stainless steel I.V Rod Bottle holder. Two hooks hanger. Height adjustable by Knob. Plastic base with castors.	Pole with adjustable height, with hook on the pole top that provide a secure place to hand bags of medicine or fluid that ensures uninterrupted administration of medicine through a hollow plastic tube and into the veins of the patient.	8904042106572	89040421UPL70IVPXU	1	Non Sterile
			UPL-70140	I.V. STAND Stainless steel I.V Rod, Four hooks Plastic hanger. Height adjustable by screwed Knob. Stainless steel collapsible base fitted in plastic star with castors.	Pole with adjustable height, with hook on the pole top that provide a secure place to hand bags of medicine or fluid that ensures uninterrupted administration of medicine through a hollow plastic tube and into the veins of the patient.	8904042106589	89040421UPL70IVPXU	1	Non Sterile
	WARD SCREEN	WARD SCREEN	UPL-70200	WARD SCREEN 2 FOLD Size : H 68" x W 48" Tubler Steel Construction. legs mounted on 50 mm Castors.	A frame-like device designed to create a partition in order to conceal a patient in a bed or examination table during medical procedures or soled for privacy.	8904042106596	89040421UPL70WSCYX	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-70210	WARD SCREEN 3 FOLD Size : H 68" x W 72" Tubler Steel Construction. legs mounted on 50 mm Castors.	A frame-like device designed to create a partition in order to conceal a patient in a bed or examination table during medical procedures or soled for privacy.	8904042106602	89040421UPL70WSCYX	1	Non Sterile
			UPL-70220	WARD SCREEN 4 FOLD Size : H 68" x W 96", Tubler Steel Construction. legs mounted on 50 mm Castors.	A frame-like device designed to create a partition in order to conceal a patient in a bed or examination table during medical procedures or soled for privacy.	8904042106619	89040421UPL70WSCYX	1	Non Sterile
	FOOT STEP	FOOT STEP	UPL-70305	FOOT STEP DOUBLE Size : 525 D x 400 W x 350 H mm Two step footstool. Tublar legs fitted with PVC stump. Non-skid Rubber matting on wooden top. Stainless steel construction. Also available in powder coating.	A platform on short legs designed to be stood upon to compensate for difference in height or upon which to place the feet for rest when sitting.	8904042106626	89040421UPL70FSTXC	1	Non Sterile
			UPL-70310	FOOT STEP DOUBLE Size: 580x420x200/400mm Two step footstool. Tublar legs fitted with PVC stump. Non-skid Rubber matting steps fitted with Aluminium beading on sheet top. Powder coated cosntruction. Also available in Stainless steel	A platform on short legs designed to be stood upon to compensate for difference in height or upon which to place the feet for rest when sitting.	8904042106633	89040421UPL70FSTXC	1	Non Sterile
			UPL-70320	FOOT STEP Single One step footstool. Size : 400 W x 280 D x 225 H mm. • Single step footstool in Stainless Steel frame. • Tubular legs fitted with PVC stump. • Non-skid molded Rubber matting steps top. • Fixed construction. • Also available in Epoxy powder coating.	A platform on short legs designed to be stood upon to compensate for difference in height or upon which to place the feet for rest when sitting.	8904042106640	89040421UPL70FSTXC	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
	STOOL	STOOL	UPL-70340	STOOL Size: 450 x H 450- 600 mm Tubler legs mounted on PVC Stumps. Stainless Steel top. Height adjustable by Continuos Screw.	To seat one person in Hospital, clinics and institutions.	8904042106657	89040421UPL70STLYY	1	Non Sterile
			UPL-70341	Stool Cushion Top Overall size: 600x430x570mm. Adjustable stool seat dia. 35 cm. Padded high density foam. Plastic base fitted with castors wheels dia 50mm Height adjustable push handle Aprox variable height from 43 to 57cm.	To seat one person in Hospital, clinics and institutions.	8904042106664	89040421UPL70STLYY	1	Non Sterile
	SURGEON CHAIR	SURGEON CHAIR	UPL-70344	Nurese stool Size H 450 x 600 mm • Tubular steel construction. • Adjustable stool seat dia. 30 cm. • Cushion top padded high density foam. • Height adjustable by continuous screw. • 4-star base fitted with castors wheel dia.50 mm. • Stainless steel base. • Also available in Epoxy powder coated.	To seat one person in Hospital, clinics and institutions.	8904042106671	89040421UPL70RCQQ	1	Non Sterile
		KICK	UPL-70370	KICK BUCKET Size : Dia 400 x H 340 mm. Tubler frame work mounted on 50 cms castros. Made up of Stainless steel Stainless steel Bucket Cap. 11 Ltrs. Approx.	A device typically made of stainless steel that is used as a receiptacle for collection of waste material in hospital, clinics, old age home etc. It can easily moved with a kick of the foot.	8904042106688	89040421UPL70KBTWJ	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
	KICK BUCKET / BASIN	KICK BUCKET	UPL-70375	KICK BUCKET Overall Size: Dia 350 x H 340 mm. Stand mounted on 50 cms castors. Made up of Stainless steel. Ring of the stand covered with PVC casing. Stainless steel Bucket Cap. 11 Ltrs. Approx.	A device typically made of stainless steel that is used as a receptacle for collection of waste material in hospital, clinics, old age home etc. It can easily moved with a kick of the foot.	8904042106695	89040421UPL70KBTWJ	1	Non Sterile
		KICK BASIN	UPL-70377	Kick basin Dia of basin 35cm with stainless steel stand mounted on 50mm castors.	A device typically made of stainless steel that is used as a receptacle for collection of waste material in hospital, clinics, old age home etc. It can easily moved with a kick of the foot.	8904042106701	89040421UPL70KBTWJ	1	Non Sterile
	WASH BASIN STAND	WASH BASIN STAND	UPL-70380	WASH BASIN STAND Size: H810 x Dia. 500 mm Tubler steel construction. 3 legs base mounted on Castors. One 35 cms Stainless steel basin. Pre-treated and Epoxy powder coated. Also available in Stainless steel.	Commonly used for washing or disinfect the hands, collection of waste material etc. .	8904042106718	89040421UPL70WBSYC	1	Non Sterile
			UPL-70390	WASH BASIN STAND Size : H810 x Dia. 580 mm 5 legs Plastic base mounted on Castors. Two 35 cms S.S. basin. Pre-treated and Epoxy powder coated. Also available in Stainless steel.	Commonly used for washing or disinfect the hands, collection of waste material etc. .	8904042106725	89040421UPL70WBSYC	1	Non Sterile
			UPL-70620	Waste Receptacle Foot pedal operated. Stainless steel construction. Removable plastic Bin. Base fitted with Anti-skid Plastic. Cap. 10 Ltr	Waste receptacle is a container used for holding or storing waste material.	8904042106732	89040421UPL70WBNY2	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
	Waste Receptacle/ Dustbin	Waste Receptacle/ Dust bin	UPL-70630	Waste Receptacle Foot pedal operated. Stainless steel construction. Removable plastic Bin. Base fitted with Anti-skid Plastic. Cap. 19 Ltr	Waste receptacle is a container used for holding or storing waste material.	8904042106749	89040421UPL70WBNY2	1	Non Sterile
			UPL-70640	Waste Receptacle Foot pedal operated. Stainless steel construction. Removable plastic Bin. Base fitted with Anti-skid Plastic. Cap. 30 Ltr	Waste receptacle is a container used for holding or storing waste material.	8904042106756	89040421UPL70WBNY2	1	Non Sterile
	WHEEL CHAIR	WHEEL CHAIR	UPL-70902	WHEEL CHAIR Powder coated back movable arm rest Elevating foot rest	A wheeled personal mobility device that incorporates a seat support system for a person with disability or a person without the full capacity to walk, designed to be manually propelled and steered by the pushing and pulling handles by an attendant or by the rotation of both rear wheels by the occupant.	8904042106763	89040421UPL70WHLYG	1	Non Sterile
			UPL-70874	WHEEL CHAIR Chromed steel frame with fixed armrest, footrest	A wheeled personal mobility device that incorporates a seat support system for a person with disability or a person without the full capacity to walk, designed to be manually propelled and steered by the pushing and pulling handles by an attendant or by the rotation of both rear wheels by the occupant.	8904042106770	89040421UPL70WHLYG	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
			UPL-70809	WHEEL CHAIR Economic Wheel Chair Chromed frame with fixed armwrest, footrest	A wheeled personal mobility device that incorporates a seat support system for a person with disability or a person without the full capacity to walk, designed to be manually propelled and steered by the pushing and pulling handles by an attendant or by the rotation of both rear wheels by the occupant.	8904042106787	89040421UPL70WHLYG	1	Non Sterile
			UPL-70691	WHEEL CHAIR Powder Coating Steel Frame, Detachable Footrest, Detachable Armrest, Rear Castor with Lock, Plastic Commode Seat.	A wheeled personal mobility device that incorporates a seat support system for a person with disability or a person without the full capacity to walk, designed to be manually propelled and steered by the pushing and pulling handles by an attendant or by the rotation of both rear wheels by the occupant.	8904042106794	89040421UPL70WHLYG	1	Non Sterile
			UPL-70864	WHEEL CHAIR Economy light weight Fixed arm & footrest	A wheeled personal mobility device that incorporates a seat support system for a person with disability or a person without the full capacity to walk, designed to be manually propelled and steered by the pushing and pulling handles by an attendant or by the rotation of both rear wheels by the occupant.	8904042106800	89040421UPL70WHLYG	1	Non Sterile

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						
	Height Measuring Scale	Height Measuring Scale	UPL-501W	Base 31.75 x 40.65 CmHeight 130 Cm	A medical equipment used for measuring human height. It is usually constructed out of a ruler and a sliding horizontal head piece which is adjusted to rest on the top of the head.	8904042106817	89040421UPL70HMSX2	1	Non Sterile

LOT

LOT/BATCH NO :--



MANUFACTURING DATE : --

USED BY : --

DEVICE NAME		AS MENTIONED ON THE LABEL		SIZE	INTENDED USE/INTENDED PURPOSE OF THE DEVICE	UDI - DI	Basic UDI-DI	CLASS & RULE	STERILE/ NON STERILE
CATEGORY	SUB-CATEGORY	MODEL	VARIANT						

Meets the provisions of the MDR2017/745 concerning medical devices which apply to them:

The MD is in Class I as per rule 1 of the risk based classification mentioned in Annexure VIII of the Medical Device Regulation MDR 2017/745, we have implemented quality management system. Following standards were used to prove the products conformity with the requirements of the MDR 2017/745:

Applicable Standards: EN ISO 14971:2019/A11:2021, ISO 13485: 2016 , EN ISO 15223-1:2021 and other relevant product specification applied for the conformance.

Signatory established within the EU who has been empowered to enter into commitments on our behalf:

MDSS GmbH
Schiffgraben 41, 30175 Hannover, Germany
Tel.: +49 511 6262 8630 Fax: +49 511 6262 8633
Email :info@mdssar.com



SRN Number: DE-AR-000005430

For United Poly Engineering Pvt. Ltd.

Name: M.L. Verma
Position: Manager Quality Assurance
EMPLOYEE ID NO: 106
Place: New Delhi, India
Date: 01.07.2025

D-13/3, Okhla Industrial Area, Phase-II, New Delhi-20 (INDIA)
Tel: +91 11 4643 8819 Fax: +91 11 26389947, 41021000
Email:upl@unitedpoly.com, website: www.unitedpoly.com